

Printing date 06.12.2013

Version number 11

Revision: 15.01.2013

1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

- · Trade name: RESITRIX® Waterproofing Membranes
- · Article number: CL, MB, SK Partial Bond, SR, GA
- *Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.*
- Application of the substance / the preparation Sealing
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: CARLISLE® Construction Materials GmbH Schellerdamm 16 D-21079 Hamburg, Germany Telefon/Phone: +49 (0)40 788933-210



CARLISLE Construction Materials Ltd Eleven Arches House Leicester Road GB-Rugby CV21 1FD

Further information obtainable from: Phoenix CT, Abteilung Umweltschutz Hannoversche Str. 88 D - 21079 Hamburg Tel.: ++49 (0)40 7667-2794
E-Mail: sdb@comp.contitech.de
Emergency telephone number: +49 (0)40 7667 2233

2 Hazards identification

· Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC

R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. • Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

· Label elements

· Labelling according to EU guidelines:

Observe the general safety regulations when handling chemicals.

The product is not subject to identification regulations under EU Directives and the Ordinance on Hazardous Materials (German GefStoffV).

The product has been classified in accordance with EU regulation.

In the version put in circulation no danger for the environment or the health will be spread out by the preparation. Following Regulation 1272/2008/EC, annex I, point 13.4 it is not necessary to be labelled.

· Other hazards

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· **vPvB:** Not applicable.

(Contd. on page 2)



Printing date 06.12.2013

Version number 11

Revision: 15.01.2013

Trade name: RESITRIX® Waterproofing Membranes

(Contd. of page 1)

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• **Description:** Mixture of substances listed below with nonhazardous additions.

 Dangerous compone 	ents:	
CAS: 8052-42-4	Asphalt	25-50%
EINECS: 232-490-9	substance with a Community workplace exposure limit	
CAS: 1333-86-4	Carbon black	10-25%
EINECS: 215-609-9	substance with a Community workplace exposure limit	
CAS: 1314-13-2	zinc oxide	$\leq 0.5\%$
EINECS: 215-222-5	10 N R50/53	
	🕸 Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
CAS: 149-30-4	benzothiazole-2-thiol	$\leq 0.5\%$
EINECS: 205-736-8	🗙 Xi R43; 🏪 N R50/53	
	🕸 Aquatic Acute 1, H400; Aquatic Chronic 1, H410; 🚸 Skin Sens. 1, H317	
· Additional informati	on: For the wording of the listed risk phrases refer to section 16.	

4 First aid measures

· Description of first aid measures

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture Sulphur dioxide (SO2)
- Carbon monoxide (CO)
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Not required.

- · Environmental precautions:
- Inform respective authorities in case of seepage into water course or sewage system.
- Methods and material for containment and cleaning up: Pick up mechanically.
- **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.

(Contd. on page 3)

G



Printing date 06.12.2013

Version number 11

Revision: 15.01.2013

Trade name: RESITRIX® Waterproofing Membranes

(Contd. of page 2)

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- Precautions for safe handling No special precautions are necessary if used correctly.
- Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

- · Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

Air-Measurements were performed on a RESITRIX®-covered roof and in a storage room. The concentrations of potential volatile, cancerogenic Nitrosamines were under all limit values.

When working with the product N-Nitrosamines can be liberated. N-Nitrosamines are carcinogenic Group 2. Limit (D): general background value $0,1 \ \mu g/m^3$

8052-	42-4 Asphalt
	Short-term value: 10 mg/m ³
	Long-term value: 5 mg/m ³
1333-	86-4 Carbon black
WEL	Short-term value: 7 mg/m ³
	Long-term value: 3.5 mg/m ³

· Additional information: The lists valid during the making were used as basis.

· Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · **Respiratory protection:** Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

⁻ GB



Printing date 06.12.2013

Version number 11

Revision: 15.01.2013

(Contd. of page 3)

Trade name: RESITRIX® Waterproofing Membranes

• Eye protection: Not required.

9 Physical and chemical proper	rties	
· Information on basic physical and	chemical properties	
· General Information		
· Appearance:		
Form:	Solid	
Colour:	Black Characteristic	
· Odour: · Odour threshold:	Not determined.	
· pH-value:	Not applicable.	
-	Noi applicable.	
· Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	Undetermined.	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not determined.	
· Ignition temperature:		
Decomposition temperature:	Not determined.	
· Self-igniting:	Product is not selfigniting.	
• Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapour pressure:	Not applicable.	
· Density at 20 •C:	1.25 g/cm ³	
· Relative density	Not determined.	
· Vapour density	Not applicable.	
· Evaporation rate	Not applicable.	
· Solubility in / Miscibility with		
water:	Insoluble.	
· Partition coefficient (n-octanol/wat	er): Not determined.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
· Solvent content:		
Organic solvents:	0.0 %	
Solids content:	100.0 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

GB



Printing date 06.12.2013

Version number 11

Revision: 15.01.2013

Trade name: RESITRIX® Waterproofing Membranes

(Contd. of page 4)

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- *Incompatible materials:* No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values relevant for classification:

1314-13-2 zinc oxide

Oral LD50 7950 mg/kg (mus)

149-30-4 benzothiazole-2-thiol

Oral LD50 100 mg/kg (rat)

Dermal LD50 >7940 mg/kg (rbt)

- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish
- \cdot Additional ecological information:
- · General notes:
- Generally not hazardous for water
- Harmful to aquatic organisms
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Can be disposed on regard of the technical instructions after consultation with the local authorities and waste disposers. Use one of the following waste key numbers.

\cdot European waste catalogue

17 03 02 bituminous mixtures other than those mentioned in 17 03 01

(Contd. on page 6)

GB



Printing date 06.12.2013

Version number 11

Revision: 15.01.2013

Trade name: RESITRIX® Waterproofing Membranes

(Contd. of page 5)

· Uncleaned packaging:

• *Recommendation:* Disposal must be made according to official regulations.

UN-Number ADR, ADN, IMDG, IATA	Void
	voiu
UN proper shipping name ADR, ADN, IMDG, IATA	Void
· Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
	voia
· Packing group · ADR, IMDG, IATA	Void
· Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex	II of
MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN ''Model Regulation'':	-

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· National regulations:

· Waterhazard class: Generally not hazardous for water.

- · Other regulations, limitations and prohibitive regulations Subject to the regulations for N-Nitrosamines.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This version replaces the version of: (see header line) This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H317 May cause an allergic skin reaction.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

R43 May cause sensitisation by skin contact.

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

· Department issuing MSDS: PCT GmbH Abteilung Umweltschutz

· Contact: Hr. Dr. Laugwitz

(Contd. on page 7)

GB

Page 7/7



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.12.2013

Version number 11

Revision: 15.01.2013

Trade name: RESITRIX® Waterproofing Membranes

(Contd. of page 6)

• Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organization

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent